

kaptivo

Whiteboard Camera Solutions

Save and Share Your Whiteboard

kaptivo.com



AUTOMATIC IMAGE
CAPTURE

SECURE
SAVING

LIVESTREAMING




Connectivity Options: Wi-Fi, Ethernet, or HDMI (sold separately)



Sharing Modes: Cloud or Self-Hosted

CONTROL PAD



* KaptivoCast HDMI converter not pictured



KAPTIVO USE CASES

Enterprises can secure company IP, efficiently archive and share whiteboard content, and livestream to global offices.

Educational institutions can digitize any traditional whiteboard without changing the way educators and students work.

Remote workers can participate more productively when collaborating with distributed team members or clients.

SAVE AND SHARE CONTENT

Access whiteboard content online in real time on any device through browser-based interface. No apps or downloads!

Save whiteboard content as a single snapshot or PDF of the full session. Share content for later review.

Invite participants to view the whiteboard session or share content through any video conference application.

PATENTED TECHNOLOGY


Proprietary embedded video processing technology identifies and extracts only content written on the whiteboard.

Image is automatically enhanced to remove any reflections, glare, and people blocking the board.

Camera analyzes individual snapshots of the board multiple times per second for live streaming.

KAPTIVO SOLUTION OVERVIEW

SAVE CRYSTAL-CLEAR WHITEBOARD CONTENT



LIVE VIEW


- Advanced Image Processing
- Automatic Image Capture
- Real Time View of Changes During Session

TIMELINE

- Download Single Snapshot
- Download Full Session as PDF
- Share to Productivity Software

SHARE WITH ANYONE, ANYWHERE, ON ANY DEVICE

- Browser-Based Interface
- No Apps or Downloads Required
- Invite Participants
- Native Integrations
- Secure Sessions




NO TRAINING OR CHANGE IN HOW YOU WORK

- Easy to Start Session
- Simple to Set Up
- Authenticate Participants
- Fully Secure
- Proximity Authentication
- Device Management Portal

KAPTIVO CONNECTIVITY OPTIONS

CLOUD MODE





> Perfect for any business or educational institution seeking to improve remote collaboration, streamline whiteboard note-taking, and bring a preferred brainstorming tool into the digital age.

> **Features:** View enhanced whiteboard images. Share automatically-saved content and timeline of changes. Livestream to any device via web browser or through any video conference system. Manage through IT administration portal.

LOCAL NETWORK MODE (SELF-HOSTED)

> Ideal for organizations looking to improve collaboration through whiteboard archiving and livestreaming, while accommodating security policies that restrict access to cloud services.

> **Features:** All features of Kaptivo Enterprise delivered through an internal network or via VPN. No Internet connectivity required. No virtual server or additional software required.



HDMI

> Designed for educational institutions and enterprises who wish to integrate whiteboard livestreaming into dedicated video systems in the classroom or office.

> **Features:** Livestream vibrant, unobstructed whiteboard images to any HDMI-capable input device including TV displays or lecture capture systems. No network access required.

* KaptivoCast HDMI converter is sold separately.

KAPTIVO CONNECTIVITY OVERVIEW

KAPTIVO SPECIFICATIONS

FEATURES	DETAILS	IN THE BOX
Maximum Whiteboard Size Supported	6 ft x 4 ft (1.8m x 1.2m)	<ul style="list-style-type: none"> Kaptivo camera unit with detachable cable to control pad Control pad with Power Over Ethernet connectivity option Ethernet cable USB power adapter and cable US, UK, EU and AUS plug adapters Wall mounting plates and screws Quick Start Guide and table tent
Connectivity	Wi-Fi (802.11 b/n/g) or Ethernet, or HDMI (sold separately) SSL Data Encryption	
Client Application	Web-browser based application <ul style="list-style-type: none"> No downloads, no plugins Use any computer or mobile device 	
Cable Between Camera Unit & Control Pad: <ul style="list-style-type: none"> Camera Unit Connector Control Pad Connector Cable Length 	Detachable Both Sides <ul style="list-style-type: none"> USB B Proprietary Micro USB 8 ft (2.45m) *Optional Accessory 14 ft (4.25m) 	
AC Power Supply (input): <ul style="list-style-type: none"> Output Voltage Power Consumption (Max) AC Adapter Type Cable Length 	100-240 V AC, 50/60 Hz <ul style="list-style-type: none"> 5V DC 2.5 W USB A (US, UK, EU & AUS plugs included) 8 ft (2.45m) 	<h3>REQUIREMENTS</h3> <ul style="list-style-type: none"> Standard board (up to 6 ft x 4 ft or 1.6m x 1.2m) with a glass, plastic or ceramic surface Network connection Standard web browser AC power or Power-over-Ethernet
Product Certifications	TuV, FCC, CE, RCM	

FEATURES

CLOUD SERVICE FEATURES
Access on Any Device via Browser
Advanced Image Processing
Automatic Image Capture
Whiteboard Live View/Sharing
View Timeline of Changes
Download Single Snapshot
Download Full Session as PDF
Invite Participants
Authenticate Participants
Share via Any Video Conferencing Software
Share to Productivity Software (Slack, Trello)*
FEATURES
Password Protected Account and Device Management Portal
Three-Year Hardware Warranty
Automatic Firmware Updates*
VIDEO CONFERENCE ROOM INTEGRATIONS
BlueJeans Room Integration*

***Note:** Features only available when operating in cloud mode.

KAPTIVO DATA SHEET

PRICING

SOLUTION	MSRP	SKU
Kaptivo <i>Cloud and Self-Hosted Capability</i>	\$995	AF-10380-970
KaptivoCast <i>HDMI Accessory (Optional)</i>	\$295	KC100
Kaptivo Mobile Suction Cup Mount	\$50	KA100-M
Kaptivo Extended Length Data Cable: 14ft (4.25m)	\$75	KA101-C



Authorised Distributor



QUANTUM SPHERE

Quantum Sphere Pty Ltd
PO Box 6077
Dural, NSW 2158 Australia

P: 1300 571 188
E: sales@qsphere.com.au
F: 02 85690 6555
www.qsphere.com.au